

ORDINANCE NUMBER _____

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF CARROLLTON, TEXAS AMENDING ITS COMPREHENSIVE ZONING ORDINANCE REPEALING SPECIAL USE PERMIT NUMBER 272 AS ESTABLISHED BY ORDINANCE NUMBER 3387; AND ESTABLISHING PLANNED DEVELOPMENT NUMBER 215 PROVIDING FOR (SF-7/14) SINGLE-FAMILY RESIDENTIAL DISTRICT AND TO ALLOW FOR A PRIVATE PRE-SCHOOL WITH DAY CARE, AND PRIVATE OR PUBLIC ELEMENTARY AND SECONDARY SCHOOL, ON AN APPROXIMATELY 35-ACRE TRACT LOCATED ON THE NORTHEAST CORNER OF HEBRON PARKWAY AND ARBOR CREEK DRIVE; TO ESTABLISH A CONCEPTUAL SITE PLAN, BUILDING ELEVATIONS, LANDSCAPING, TRAFFIC CIRCULATION PLAN, AND MODIFIED DEVELOPMENT STANDARDS; AMENDING THE OFFICIAL ZONING MAP; PROVIDING PENALTY, SEVERABILITY, SAVINGS, AND REPEALER CLAUSES; AND PROVIDING AN EFFECTIVE DATE ON AND AFTER ITS ADOPTION AND PUBLICATION.

WHEREAS, at a public hearing held on the First day of August, 2019, the Planning & Zoning Commission considered and made recommendation on a certain request for a Planned Development District (Case No. Z-2019-71);

WHEREAS, this change of zoning is in accordance with the adopted Comprehensive Plan of the City of Carrollton, as amended;

WHEREAS, the City Council conducted a public hearing on the Tenth day of September, 2019, at which all persons were given an opportunity to present testimony; and

WHEREAS, this change of zoning will distinguish development standards specially applicable to the unique nature of the approximately 35-acre tract; and

WHEREAS, the City Council, after determining all legal requirements of notice and hearing have been met, has further determined the following amendment to the zoning laws would provide for and would be in the best interest of the health, safety, morals and general welfare.

NOW, THEREFORE, BE IT ORDAINED BY THE COUNCIL OF THE CITY OF CARROLLTON, TEXAS, THAT:

Section 1.

All of the above premises are found to be true and correct legislative and factual findings of the City Council, and they are hereby approved, ratified and incorporated into the body of this Ordinance as if copied in their entirety.

Section 2.

Ordinance number 3387 establishing Special Use Permit Number 272 is hereby repealed.

Section 3.

Planned Development Number 215 is established on an approximately 35-acre site which is described on the attached Exhibit A, and depicted on Exhibit B, providing for the following:

Permitted Uses

Permitted uses shall be all principal and accessory uses which are allowed by right in the (SF-7/14) Single-Family Detached Residential District, in accordance with Article V of the Comprehensive Zoning Ordinance, as amended, and shall be developed in accordance with all applicable regulations of the (SF-7/14) Single-Family Detached Residential District and the Comprehensive Zoning Ordinance, as amended, except as otherwise provided in Section II below.

A Special Use Permit shall be required for all uses otherwise requiring a Special Use Permit in the (SF-7/14) Single-Family Detached Residential District, in accordance with Article V of the Comprehensive Zoning Ordinance, as amended. Such Special Use Permit(s) shall be subject to the conditions established in Articles XXI and XXXI of the Comprehensive Zoning Ordinance, as amended, and shall be developed in accordance with all applicable regulations, except as otherwise provided in Section II below.

Additional Permitted Uses

1. Elementary and Secondary School, Public or Private
2. Private Pre-School with Day Care

Section 4.

Development shall be in accordance with the following special conditions, restrictions and regulations:

General:

1. Development shall be in accordance with the Conceptual Site Plan, as shown on Exhibit C; Landscape Screening Plans, as shown on Exhibit D; Conceptual Building Elevations, as shown on Exhibit E; and Traffic Circulation Plan, as shown on Exhibit F, respectively.
2. The design and features of the field house and all future additions shall be similar to the existing building.
3. The maximum number of students shall be: 779

- a. Private Pre-School/Day Care: 129
 - b. Elementary and Secondary School, Public or Private: 650
4. The existing portable building must be removed within 90 days of issuance of a Certificate of Occupancy for Phase 4 (Future Sanctuary).

Streets and Traffic Mitigation:

1. A traffic impact analysis and a new technical site plan shall be required if the overall student population is expected to exceed 779 students for the entire 34.95-acre property.
2. The traffic circulation for pick-up and drop-off shall follow the Traffic Circulation Plan, shown as Exhibit F.
3. The start and end times between the Pre-School and the Elementary/Secondary school shall be staggered by at least 45 minutes.

Landscaping/Screening:

1. A landscape screen, maintained in accordance with the Comprehensive Zoning Ordinance, shall be provided along the east line, but outside of the drainage easement beginning at the north end of the sanctuary as shown on the Master Site Plan. The landscape screen required along the drainage channel shall be in the form of a group of plant material comprised of (5) evergreen trees, a minimum three (3) inch in caliper size at the time of planting, planted at a rate of one (1) group for each one-hundred and fifty (150) linear feet of drainage easement. Additionally, a fifteen (15) foot wide minimum landscape buffer shall be installed and maintained along the northeast corner of Arbor Creek Drive and Hebron Parkway East as shown on the attached Exhibit B in accordance with the Comprehensive Zoning Ordinance.
2. Landscape screening shall be provided along and east of the alley across from Lots 1020, Block A, Arbor Creek, Phase VI; and Lots 37-43, Block A, Arbor Creek, Phases IV and V with the following requirements:
 - a. 30-gallon evergreen trees shall be planted an average of three (3) evergreen trees for every house backing to the landscape screening area (See Landscape Screening Exhibit D);
 - b. The evergreen trees shall not be less than 10 feet from the alley;
 - c. A landscape plan shall be submitted showing the specific location and types of evergreen trees, and as required in the Comprehensive Zoning Ordinance; and
 - d. An irrigation plan shall be submitted with landscape plans to the City Arborist at the time of permitting.

Athletic Field

1. Lighting poles, not to exceed 60 feet in height shall be allowed for the football field.
2. Athletic field lighting shall be turned off no later than 10:30 p.m.
3. Lighting for parking lots and driveways shall be a maximum of thirty (30) feet in height.

4. A scoreboard with a maximum height of 23.5 feet shall be allowed as shown on the site plan.
5. Two (2) 25-second clocks with a maximum height of six (6) feet is allowed as shown on the site plan.
6. Bleachers shall be allowed on the east side of the football field that has maximum dimensions of 66 feet long, 13 feet wide and a maximum height of 7.5 feet. The bleachers shall have a maximum of six (6) rows.
7. Bleachers and a press box shall be allowed on the west side of the football field as shown on the attached site plan. The bleachers shall have maximum dimensions of 120 feet long, 46 feet wide and a maximum height of 29.5 feet to the top of the security fence on top of the press box. The proposed bleachers on the west side of the football field shall have a maximum of 15 rows.

Section 5.

The Comprehensive Zoning Ordinance and the Official Map are hereby amended to reflect the action taken herein.

Section 6.

Any person violating a provision of this ordinance, upon conviction, is guilty of an offense punishable as provided in Section 10.99 of the Carrollton City Code.

Section 7.

The provisions of this ordinance are severable in accordance with Section 10.07 of the Carrollton City Code.

Section 8.

Ordinance Number 1470, otherwise known as the Comprehensive Zoning Ordinance and the Official Zoning Map, as amended, shall remain in full force and effect.

Section 9.

To the extent of any prior ordinance of the City of Carrollton (or any provision, clause, phrase, sentence or paragraph contained therein) conflicts with this ordinance, said conflicting ordinance, provision, clause, phrase, sentence or paragraph is hereby repealed.

Section 10.

This ordinance shall become and be effective on and after its adoption and publication.

PASSED AND APPROVED this the Tenth day of September, 2019.

CITY OF CARROLLTON

By: _____
Kevin W. Falconer, Mayor

ATTEST:

Laurie Garber
City Secretary

APPROVED AS TO FORM:

Susan Keller
Assistant City Attorney

APPROVED AS TO CONTENT:

Molly J. Coryell
Planner

Exhibit A
Legal Description

FUMC-HEBRON PARKWAY ADDITION, BLOCK 1, LOT 1

Exhibit B Location & Tract


Z-2019-71 First United Methodist Church



Drawn BY: TGS
File: P0100723



Exhibit D
Landscape Screening Plan







Exhibit E
Conceptual Building Elevations



SHEET NO.
A501

vidaud + associates incorporated
13649 manfort drive • suite 200
dallas • texas 75240-4503
(972)634-8888 PH • (972)458-232

architecture • engineering • interiors

PER IGA
EXTERIOR ELEVATIONS - SHEET 2
DATE 4/17/01
20031
BY
CHKD BY
CMM

PER CITY COMMENTS 5/22/01

CARROLLTON
CHRISTIAN ACADEMY
1830 PEARL STREET
CARROLLTON, TEXAS 75011
875-607-0624 • 875-640033

Architectural drawings of the West Elevation of a building. The top drawing is labeled "1 WEST ELEVATION" and shows a long, low building with a flat roof and a series of windows. The bottom drawing is labeled "2 WEST ELEVATION" and shows a similar building but with a gabled roof and a different window arrangement. Both drawings include vertical grid lines labeled A through H and horizontal grid lines labeled 1 through 4. A north arrow is located between the two drawings.

A502	SHEET NO.	 vidual + associates incorporated 13849 meridian drive • suite 200 dallas, texas 75246-4503 (972)974-6888 fax • (972)458-2	vidual + associates incorporated 13849 meridian drive • suite 200 dallas, texas 75246-4503 (972)974-6888 fax • (972)458-2		sheet title EXTERIOR ELEVATIONS - SHEET 3
			date 2003/1	date 4/17/01	date 5/29/01




**CARROLLTON
CHRISTIAN ACADEMY**
 1820 PEARL STREET
 CARROLLTON, TEXAS 75611
 (714) 462-0622 • (972) 448-9253 • www.cca.edu

[illegible]

Architect:
Thomas Gordon Shelton

**First United Methodist Church
Carrolton**

Planned Development Permit

Map

Scale

North Arrow

Legend

Notes

1. SITE

2. EXISTING BUILDING

3. EXISTING PARKING LOT

4. EXISTING DRIVEWAY

5. EXISTING SIDEWALK

6. EXISTING STREET

7. EXISTING FENCE

8. EXISTING UTILITY

9. EXISTING LANDSCAPE

10. EXISTING TREES

11. EXISTING SHRUBS

12. EXISTING GRASS

13. EXISTING PAVEMENT

14. EXISTING CONCRETE

15. EXISTING BRICK

16. EXISTING STONE

17. EXISTING METAL

18. EXISTING WOOD

19. EXISTING PLASTER

20. EXISTING GIPSUM

21. EXISTING CEILING

22. EXISTING FLOOR

23. EXISTING WALL

24. EXISTING ROOF

25. EXISTING FOUNDATION

26. EXISTING STRUCTURE

27. EXISTING EQUIPMENT

28. EXISTING FURNITURE

29. EXISTING FIXTURES

30. EXISTING ACCESSORIES

31. EXISTING UTILITIES

32. EXISTING SERVICES

33. EXISTING CONNECTIONS

34. EXISTING DETAILS

35. EXISTING FINISHES

36. EXISTING MATERIALS

37. EXISTING METHODS

38. EXISTING TOOLS

39. EXISTING EQUIPMENT

40. EXISTING SERVICES

41. EXISTING CONNECTIONS

42. EXISTING DETAILS

43. EXISTING FINISHES

44. EXISTING MATERIALS

45. EXISTING METHODS

46. EXISTING TOOLS

47. EXISTING EQUIPMENT

48. EXISTING SERVICES

49. EXISTING CONNECTIONS

50. EXISTING DETAILS

51. EXISTING FINISHES

52. EXISTING MATERIALS

53. EXISTING METHODS

54. EXISTING TOOLS

55. EXISTING EQUIPMENT

56. EXISTING SERVICES

57. EXISTING CONNECTIONS

58. EXISTING DETAILS

59. EXISTING FINISHES

60. EXISTING MATERIALS

61. EXISTING METHODS

62. EXISTING TOOLS

63. EXISTING EQUIPMENT

64. EXISTING SERVICES

65. EXISTING CONNECTIONS

66. EXISTING DETAILS

67. EXISTING FINISHES

68. EXISTING MATERIALS

69. EXISTING METHODS

70. EXISTING TOOLS

71. EXISTING EQUIPMENT

72. EXISTING SERVICES

73. EXISTING CONNECTIONS

74. EXISTING DETAILS

75. EXISTING FINISHES

76. EXISTING MATERIALS

77. EXISTING METHODS

78. EXISTING TOOLS

79. EXISTING EQUIPMENT

80. EXISTING SERVICES

81. EXISTING CONNECTIONS

82. EXISTING DETAILS

83. EXISTING FINISHES

84. EXISTING MATERIALS

85. EXISTING METHODS

86. EXISTING TOOLS

87. EXISTING EQUIPMENT

88. EXISTING SERVICES

89. EXISTING CONNECTIONS

90. EXISTING DETAILS

91. EXISTING FINISHES

92. EXISTING MATERIALS

93. EXISTING METHODS

94. EXISTING TOOLS

95. EXISTING EQUIPMENT

96. EXISTING SERVICES

97. EXISTING CONNECTIONS

98. EXISTING DETAILS

99. EXISTING FINISHES

100. EXISTING MATERIALS

101. EXISTING METHODS

102. EXISTING TOOLS

103. EXISTING EQUIPMENT

104. EXISTING SERVICES

105. EXISTING CONNECTIONS

106. EXISTING DETAILS

107. EXISTING FINISHES

108. EXISTING MATERIALS

109. EXISTING METHODS

110. EXISTING TOOLS

111. EXISTING EQUIPMENT

112. EXISTING SERVICES

113. EXISTING CONNECTIONS

114. EXISTING DETAILS

115. EXISTING FINISHES

116. EXISTING MATERIALS

117. EXISTING METHODS

118. EXISTING TOOLS

119. EXISTING EQUIPMENT

120. EXISTING SERVICES

121. EXISTING CONNECTIONS

122. EXISTING DETAILS

123. EXISTING FINISHES

124. EXISTING MATERIALS

125. EXISTING METHODS

126. EXISTING TOOLS

127. EXISTING EQUIPMENT

128. EXISTING SERVICES

129. EXISTING CONNECTIONS

130. EXISTING DETAILS

131. EXISTING FINISHES

132. EXISTING MATERIALS

133. EXISTING METHODS

134. EXISTING TOOLS

135. EXISTING EQUIPMENT

136. EXISTING SERVICES

137. EXISTING CONNECTIONS

138. EXISTING DETAILS

139. EXISTING FINISHES

140. EXISTING MATERIALS

141. EXISTING METHODS

142. EXISTING TOOLS

143. EXISTING EQUIPMENT

144. EXISTING SERVICES

145. EXISTING CONNECTIONS

146. EXISTING DETAILS

147. EXISTING FINISHES

148. EXISTING MATERIALS

149. EXISTING METHODS

150. EXISTING TOOLS

151. EXISTING EQUIPMENT

152. EXISTING SERVICES

153. EXISTING CONNECTIONS

154. EXISTING DETAILS

155. EXISTING FINISHES

156. EXISTING MATERIALS

157. EXISTING METHODS

158. EXISTING TOOLS

159. EXISTING EQUIPMENT

160. EXISTING SERVICES

161. EXISTING CONNECTIONS

162. EXISTING DETAILS

163. EXISTING FINISHES

164. EXISTING MATERIALS

165. EXISTING METHODS

166. EXISTING TOOLS

167. EXISTING EQUIPMENT

168. EXISTING SERVICES

169. EXISTING CONNECTIONS

170. EXISTING DETAILS

171. EXISTING FINISHES

172. EXISTING MATERIALS

173. EXISTING METHODS

174. EXISTING TOOLS

175. EXISTING EQUIPMENT

176. EXISTING SERVICES

177. EXISTING CONNECTIONS

178. EXISTING DETAILS

179. EXISTING FINISHES

180. EXISTING MATERIALS

181. EXISTING METHODS

182. EXISTING TOOLS

183. EXISTING EQUIPMENT

184. EXISTING SERVICES

185. EXISTING CONNECTIONS

186. EXISTING DETAILS

187. EXISTING FINISHES

188. EXISTING MATERIALS

189. EXISTING METHODS

190. EXISTING TOOLS

191. EXISTING EQUIPMENT

192. EXISTING SERVICES

193. EXISTING CONNECTIONS

194. EXISTING DETAILS

195. EXISTING FINISHES

196. EXISTING MATERIALS

197. EXISTING METHODS

198. EXISTING TOOLS

199. EXISTING EQUIPMENT

200. EXISTING SERVICES

201. EXISTING CONNECTIONS

202. EXISTING DETAILS

203. EXISTING FINISHES

204. EXISTING MATERIALS

205. EXISTING METHODS

206. EXISTING TOOLS

207. EXISTING EQUIPMENT

208. EXISTING SERVICES

209. EXISTING CONNECTIONS

210. EXISTING DETAILS

211. EXISTING FINISHES

212. EXISTING MATERIALS

2