

RESULT SHEET

Date: 04/08/2015

Case No./Name: 02-15SUP1 AT&T Cell Tower

A. STIPULATIONS AND RECOMMENDATIONS

Staff recommends **APPROVAL** with the following stipulations:

1. The maximum height of the antenna monopole structure shall be 85 feet.
2. Two additional landscape islands, a minimum of nine feet at their narrowest dimension including curbing, shall be installed in the parking lot along Josey Lane as shown in Exhibit ___. Each new landscape island shall contain the following at a minimum:
 - a. One multi-stem Crepe Myrtle (Red Rocket, Dallas Red or equivalent variety), at least 3-inch caliper and 10 feet in height at the time of planting.
 - b. Mexican Feather Grass, a least one gallon at the time of planting, spaced no more than 18 inches apart.
 - c. A natural stone boulder, a minimum of 18 inches in each dimension and a minimum of 24 inches in at least one dimension.
3. The existing parking lot landscape islands shall be improved by removing existing turf grass and replacing it with decomposed granite.

B. P&Z RECOMMENDATION from P&Z meeting: 02/05/15
Result: **CONTINUED** to the March 5, 2015 meeting/Vote: 6 – 0 (Daniel-Nix & Romo absent, one seat vacant)

C. P&Z RECOMMENDATION from P&Z meeting: 03/05/15
Result: **APPROVAL** /Vote: 9 - 0

D. CC RECOMMENDATION from CC meeting: 04/07/15
Result: /Vote: